


M02 - TEMPERATURE SENSOR WITH INTEGRAL EXTENSION CABLE

Simple and versatile design. Can be 'hand-held' or 'threaded' using a compression fitting. Suitable for numerous applications. Available in various sensor types.

STANDARD SPECIFICATIONS:

316SS IMMERSIBLE INSERTION STEM
 GROUNDED (THERMOCOUPLE)
 3-WIRE 385 1/3DIN (RTD Pt100)



OPTIONS	CODE
INSERTION STEM MATERIAL: ICONEL 600 (HIGH TEMPERATURE)...	600
INSERTION STEM MATERIAL: 446SS (CORROSION RESISTANT)....	446
FLEXIBLE SS ARMOUR OVER LEAD CABLE.....	A
LEAD CABLE WITH SS OVERBRAID.....	SS
EXPOSED SENSOR TIP (AIR SENSOR).....	E
SHARP CHISEL TIP (PENARATION).....	S
SUBMERSIBLE.....	SUB
TEFLON-COATED INSERTION STEM.....	TF
TRANSITION FITTING W/STRAIN RELIEF.....	R
4-WIRE RTD.....	4W
DUAL SENSORS.....	D
UNGROUNDED THERMOCOUPLE JUNCTION.....	U
COMPRESSION FITTING (CS - STAINLESS STEEL) (CB - BRASS)..	
- 1/2"NPT.....	CS2 OR CB2
- 1/4"NPT.....	CS4 OR CB4
- 1/8"NPT.....	CS8 OR CB8
OTHER OPTIONS (SEE M02 OPTIONS).....	O ()




1295 Morningside Avenue, Unit 16
 Scarborough, ON M1B 4Z4, Canada
 Phone: 416-261-4865 Fax: 416-261-7879
 www.scigiene.com


M02 - OPTIONS

L - LUG MOUNTING

COPPER
RING LUG




COPPER
SPADE LUG



CODE	SHAPE	CODE	STUD SIZE
R	RING	8	#8
S	SPADE	10	#10


L

AC - ALLIGATOR CLIP




WP - WELD PAD

1"x1"x1/8"
STD.




PC - PIPE CLAMP




1295 Morningside Avenue, Unit 16
Scarborough, ON M1B 4Z4, Canada
Phone: 416-261-4865 Fax: 416-261-7879
www.scigiene.com

M02 - OPTIONS (CONT'D)


VC - VAT CLAMP



M - MAGNETIC



BP - 90° BENT PROBE



1295 Morningside Avenue, Unit 16
Scarborough, ON M1B 4Z4, Canada
Phone: 416-261-4865 Fax: 416-261-7879
www.scigiene.com